Notice of Allowability	Application No.	Applicant(s)
	09/871,315	SANTELLI, ALBERT
	Examiner	Art Unit
	William H. Mayo III	2831
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. ☑ This communication is responsive to <u>August 23, 2004</u> .		
2. The allowed claim(s) is/are <u>1-27</u> .		
3. The drawings filed on 31 May 2001 are accepted by the Examiner.		
 4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply ENT of this application.	complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the 	on's Patent Drawing Review (PTO- s Amendment / Comment or in the C	Office action of
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 8), 7. ☐ Examiner's Amendr	te

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1-27 are allowed.
- 2. The following is an examiner's statement of reasons for allowance: This invention deals with a connector comprising a pleated body having first and second ends, wherein the pleated body defines a channel which is longitudinally open along a side of the connector, the pleated body including a plurality of pleats which fold into and out of one another to allow the connector to be manually bent (claims 1, 13, and 25). The above stated claim limitations, in combination with other claim limitations, is not taught or suggested by the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Response to Arguments

3. Applicant's arguments filed August 23, 2004 have been fully considered and they are persuasive. Specifically, the applicant's argument that "Booty nor any of the cited prior art expressly or inherently describe a pleated body having first and second ends, wherein the pleated body defines a channel which is longitudinally open along a side of the connector, the pleated body including a plurality of pleats which fold into and out of

Art Unit: 2831

one another to allow the connector to be manually bent", is persuasive and therefore the claims have been allowed.

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. They are Forster (Pat Num 4,727,908), Attillio (GB Pat Num 2088515), and Watanbe (JP Pat Num 53-115927), all of which disclose connectors having bellows.

Communication

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to William H. Mayo III whose telephone number is (571)-272-1978. The examiner can normally be reached on M-F 8:30am-6:00 pm (alternate Fridays off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard can be reached on (571) 272-2800 ext 31. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/871,315

Art Unit: 2831

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

William H. Mayou Primary Examiner Art Unit 2831

WHM III October 28, 2004